

## WEST Search History for Application 10568508

**Creation Date: 2008110712:33**

Query	DB	Op.	Plur.	Thes.	Date
((assign\$5 or allocat\$3) near3 channel near2 code\$) same ((gain or amplitude\$) near2 factor\$)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-22-2008
((assign\$5 or allocat\$3 or distribut\$3 or allot\$3) near3 channel near2 code\$) same ((gain or amplitude\$) near2 factor\$)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-22-2008
((assign\$5 or allocat\$3 or distribut\$3 or allot\$4) near3 channel near2 code\$) same ((gain or amplitude\$ or weight\$3) near2 factor\$)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-22-2008
@ad<=20040616	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-23-2008
((assign\$5 or allocat\$3 or distribut\$3 or allot\$4) near3 channel near2 code\$) and ((gain or amplitude\$ or weight\$3) near2 factor\$)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-23-2008
((assign\$5 or allocat\$3 or distribut\$3 or allot\$4) near3 channel near2 code\$) and ((gain or amplitude\$ or weight\$3)near2 factor\$) and (spread\$3 near factor\$3)	PGPB, USPT, USOC, EPAB, JPAB,	OR	YES		08-23-2008

	DWPI, TDBD				
((assign\$5 or allocat\$3 or distribut\$3 or allot\$4) near3 channel near2 code\$) and ((gain or amplitude\$ or weight\$3)near2 factor\$) and (spread\$3 near factor\$3) ) and (@ad<=20040616 )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-23-2008
((assign\$5 or allocat\$3 or distribut\$3 or allot\$4) near3 channel near2 code\$) and ((gain or amplitude\$ or weight\$3)near2 factor\$) and (spread\$3 near factor\$3) and ((hybrid near phase near shift\$3 near2 key\$3) or hpsk)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-23-2008
((assign\$5 or allocat\$3 or distribut\$3 or allot\$4) near3 channel near2 code\$) and (spread\$3 near factor\$3) and ((hybrid near phase near shift\$3 near2 key\$3) or hpsk)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-23-2008
(code near2 number\$) and (spread\$3 near factor\$3) and ((hybrid near phase near shift\$3 near2 key\$3) or hpsk)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-23-2008
((assign\$5 or allocat\$3) near3 channel near2 code\$) same ((gain or amplitude\$) near2 factor\$)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			08-25-2008
((assign\$5 or allocat\$3 or distribut\$3 or allot\$3) near3 channel near2 code\$) same ((gain or amplitude\$) near2 factor\$)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			08-25-2008
((assign\$5 or allocat\$3 or distribut\$3 or allot\$4) near3 channel near2 code\$) same ((gain or amplitude\$ or	PGPB, USPT,	OR			08-25-2008

weight\$3) near2 factor\$)	USOC, EPAB, JPAB, DWPI, TDBD				
@ad<=20040616	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			08-25-2008
((assign\$5 or allocat\$3 or distribut\$3 or allot\$4) near3 channel near2 code\$) and ((gain or amplitude\$ or weight\$3) near2 factor\$)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			08-25-2008
((assign\$5 or allocat\$3 or distribut\$3 or allot\$4) near3 channel near2 code\$) and ((gain or amplitude\$ or weight\$3)near2 factor\$) and (spread\$3 near factor\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			08-25-2008
((assign\$5 or allocat\$3 or distribut\$3 or allot\$4) near3 channel near2 code\$) and ((gain or amplitude\$ or weight\$3)near2 factor\$) and (spread\$3 near factor\$3) ) and (@ad<=20040616 )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			08-25-2008
((assign\$5 or allocat\$3 or distribut\$3 or allot\$4) near3 channel near2 code\$) and ((gain or amplitude\$ or weight\$3)near2 factor\$) and (spread\$3 near factor\$3) and ((hybrid near phase near shift\$3 near2 key\$3) or hpsk)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			08-25-2008
((assign\$5 or allocat\$3 or distribut\$3 or allot\$4) near3 channel near2 code\$) and (spread\$3 near factor\$3) and ((hybrid near phase near shift\$3 near2 key\$3) or hpsk)	PGPB, USPT, USOC, EPAB, JPAB, DWPI,	OR			08-25-2008

	TDBD				
(code near2 number\$) and (spread\$3 near factor\$3) and ((hybrid near phase near shift\$3 near2 key\$3) or hpsk)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			08-25-2008
375/130.ccls. or 375/140.ccls. or 375/141.ccls. or 375/146.ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-25-2008
sugisawa.inv. or wakabayashi.inv.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-25-2008
(sugisawa.inv. or wakabayashi.inv. ) and (((assign\$5 or allocat\$3 or distribut\$3 or allot\$4) near3 channel near2 code\$) and ((gain or amplitude\$ or weight\$3)near2 factor\$) and (spread\$3 near factor\$3) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-25-2008
(375/130.ccls. or 375/140.ccls. or 375/141.ccls. or 375/146.ccls. ) and (((assign\$5 or allocat\$3 or distribut\$3 or allot\$4) near3 channel near2 code\$) and ((gain or amplitude\$ or weight\$3)near2 factor\$) and (spread\$3 near factor\$3) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-25-2008
370/335.ccls. or 370/342.ccls. or 370/441.ccls. or (375/130.ccls. or 375/140.ccls. or 375/141.ccls. or 375/146.ccls. )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-25-2008
(370/335.ccls. or 370/342.ccls. or 370/441.ccls. or 375/130.ccls. or 375/140.ccls. or 375/141.ccls. or 375/146.ccls. ) and (((assign\$5 or allocat\$3 or distribut\$3	PGPB, USPT, USOC,	OR	YES		08-25-2008

or allot\$4) near3 channel near2 code\$) and ((gain or amplitude\$ or weight\$3)near2 factor\$) and (spread\$3 near factor\$3) ) and (@ad<=20040616 )	EPAB, JPAB, DWPI, TDBD				
375/\$4.ccls. or 370/\$5.ccls. or 455/\$5.ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-25-2008
( (375/\$4.ccls. or 370/\$5.ccls. or 455/\$5.ccls. ) and (@ad<=20040616 ) and (((assign\$5 or allocat\$3 or distribut\$3 or allot\$4) near3 channel near2 code\$) and ((gain or amplitude\$ or weight\$3)near2 factor\$) and (spread\$3 near factor\$3) ) ) not (370/335.ccls. or 370/342.ccls. or 370/441.ccls. or 375/130.ccls. or 375/140.ccls. or 375/141.ccls. or 375/146.ccls. and ((assign\$5 or allocat\$3 or distribut\$3 or allot\$4) near3 channel near2 code\$) and ((gain or amplitude\$ or weight\$3)near2 factor\$) and (spread\$3 near factor\$3) and @ad<=20040616 )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-25-2008
bocure.xp. and (spread\$3 near2 factor\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-25-2008
('7180932'   '20020057730'   '20030053413'   '20040228267'   '20040252629'   '20040264548'   '20050141598')![pn]	USPT, PGPB				08-25-2008
((assign\$5 or allocat\$3) near3 channel near2 code\$) same ((gain or amplitude\$) near2 factor\$)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-07-2008
((assign\$5 or allocat\$3 or distribut\$3 or allot\$3) near3 channel near2 code\$) same ((gain or amplitude\$) near2 factor\$)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-07-2008

((assign\$5 or allocat\$3 or distribut\$3 or allot\$4) near3 channel near2 code\$) same ((gain or amplitude\$ or weight\$3) near2 factor\$)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-07-2008
@ad<=20040616	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-07-2008
((assign\$5 or allocat\$3 or distribut\$3 or allot\$4) near3 channel near2 code\$) and ((gain or amplitude\$ or weight\$3) near2 factor\$)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-07-2008
((assign\$5 or allocat\$3 or distribut\$3 or allot\$4) near3 channel near2 code\$) and ((gain or amplitude\$ or weight\$3) near2 factor\$) and (spread\$3 near factor\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-07-2008
((assign\$5 or allocat\$3 or distribut\$3 or allot\$4) near3 channel near2 code\$) and ((gain or amplitude\$ or weight\$3) near2 factor\$) and (spread\$3 near factor\$3) ) and (@ad<=20040616 )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-07-2008
((assign\$5 or allocat\$3 or distribut\$3 or allot\$4) near3 channel near2 code\$) and ((gain or amplitude\$ or weight\$3) near2 factor\$) and (spread\$3 near factor\$3) and ((hybrid near phase near shift\$3 near2 key\$3) or hpsk)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-07-2008
((assign\$5 or allocat\$3 or distribut\$3 or allot\$4) near3 channel near2 code\$) and (spread\$3 near factor\$3) and ((hybrid near phase near shift\$3 near2 key\$3) or hpsk)	PGPB, USPT, USOC, EPAB,	OR			11-07-2008

	JPAB, DWPI, TDBD				
(code near2 number\$) and (spread\$3 near factor\$3) and ((hybrid near phase near shift\$3 near2 key\$3) or hpsk)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-07-2008
(375/130).ccls. or (375/140).ccls. or (375/141).ccls. or (375/146).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-07-2008
sugisawa.inv. or wakabayashi.inv.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-07-2008
(sugisawa.inv. or wakabayashi.inv. ) and (((assign\$5 or allocat\$3 or distribut\$3 or allot\$4) near3 channel near2 code\$) and ((gain or amplitude\$ or weight\$3)near2 factor\$) and (spread\$3 near factor\$3) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-07-2008
((375/130).ccls. or (375/140).ccls. or (375/141).ccls. or (375/146).ccls. ) and (((assign\$5 or allocat\$3 or distribut\$3 or allot\$4) near3 channel near2 code\$) and ((gain or amplitude\$ or weight\$3)near2 factor\$) and (spread\$3 near factor\$3) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-07-2008
(370/335).ccls. or (370/342).ccls. or (370/441).ccls. or ((375/130).ccls. or (375/140).ccls. or (375/141).ccls. or (375/146).ccls. )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-07-2008
		OR			11-07-2008

((370/335).ccls. or (370/342).ccls. or (370/441).ccls. or (375/130).ccls. or (375/140).ccls. or (375/141).ccls. or (375/146).ccls. ) and (((assign\$5 or allocat\$3 or distribut\$3 or allot\$4) near3 channel near2 code\$) and ((gain or amplitude\$ or weight\$3)near2 factor\$) and (spread\$3 near factor\$3) ) and (@ad<=20040616 )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
375/\$4.ccls. or 370/\$5.ccls. or 455/\$5.ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-07-2008
( (375/\$4.ccls. or 370/\$5.ccls. or 455/\$5.ccls. ) and (@ad<=20040616 ) and (((assign\$5 or allocat\$3 or distribut\$3 or allot\$4) near3 channel near2 code\$) and ((gain or amplitude\$ or weight\$3)near2 factor\$) and (spread\$3 near factor\$3) ) ) not ((370/335).ccls. or (370/342).ccls. or (370/441).ccls. or (375/130).ccls. or (375/140).ccls. or (375/141).ccls. or (375/146).ccls. and ((assign\$5 or allocat\$3 or distribut\$3 or allot\$4) near3 channel near2 code\$) and ((gain or amplitude\$ or weight\$3)near2 factor\$) and (spread\$3 near factor\$3) and @ad<=20040616 )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-07-2008
bocure.xp. and (spread\$3 near2 factor\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-07-2008
('7180932'   '20020057730'   '20030053413'   '20040228267'   '20040252629'   '20040264548'   '20050141598')![pn]	USPT, PGPB	OR			11-07-2008